


# INCOMPARABLE DEEP CYCLE AGM BATTERY

LDC8-188 (8V188Ah)




## CHARACTERISTICS

Item		Specifications
Voltage		8V
Dimension	Length	262mm (10.3inches)
	Width	180mm (7.09inches)
	Container Height	278.5mm (11.0inches)
	Total Height	278.5mm (11.0inches)
Approx Weight		31.5kg (69.5lbs)
Terminal		T11(M8)
Container Material		ABS
Reserve Capacity	25A	365min
	56A	136min
Capacity	20HR	188Ah
	5HR	153Ah
Operating Temp. Range	Discharge	-20~55°C (-4~131°F)
	Charge	0~40°C (32~104°F)
	Storage	-15~40°C (5~104°F)



## APPLICATIONS

- Electric vehicle
- Golf cart
- Sightseeing
- Cleaning equipment
- AWP
- Mobility



carbon

Note: Terminal Torque Values in-lb(Nm):97.35-130.0(11.0-14.7)



# INCOMPARABLE DEEP CYCLE AGM BATTERY

## LDC8-188 (8V188Ah)



### GENERAL FEATURES

#### Stable initial capacity

- PAM/NAM amount optimization
- 4BS crystal paste mixing & curing technology
- Double layer separator technology
- Improved design electrolyte S.G.

#### Less water loss

- PAM/NAM amount optimization
- New PAM/NAM recipe introduced
- Rare earth alloy

#### Solve NAM sulphation

- Carbon boost technology
- Pre-sulfate technology

#### Improved PSoC cycling

- Carbon boost technology
- Mix carbon boost technology
- Targeting for higher level through carbon technology

#### Delay PAM softening and shedding

- Plate assembly pressure re-engineering
- 4BS crystal paste mixing & curing technology
- Higher paste density


#### Optimize electrolyte stratification

- Introduce AGM-GEL technology


#### Excellent deep cycle performance

- Plate assembly pressure re-engineering
- New PAM/NAM recipe introduced
- Gel electrolyte technology
- Rare earth alloy
- Double layer separator technology
- Lower acid filling temperature
- Designed in compliance with applicable BCI, DIN, BS and IEC standards.
- Tested in compliance to BCI and IEC standards.


#### Charging Profiles




#### Relationship of OCV and State Of Charge



#### Cycle Life in Relation to Depth Of Discharges



#### Self-discharge Characteristics



Leoch International Technology Ltd.  
www.leoch.com

Leoch Batteries Pte Ltd  
www.leoch.sg

Leoch Battery Corporation  
www.leochamericas.com

Leoch Europe S.A.  
www.leoch.eu